

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|---------|--------------------------|---|
| Identifying gastrointestinal (GI) conditions in children with autism spectrum disorders (ASD) | \$0 | Q1.L.A | Harvard Medical School |
| Signatures of gene expression in autism spectrum disorders | \$0 | Q1.L.A | Boston Children's Hospital |
| Identification of lipid biomarkers for autism | \$0 | Q1.L.A | Massachusetts General Hospital |
| Collaborative research: Computational behavioral science: Modeling, analysis, and visualization of social and communicative behavior | \$0 | Q1.L.B | Trustees of Boston University |
| Collaborative research: Computational behavioral science: Modeling, analysis, and visualization of social and communicative behavior | \$0 | Q1.L.B | Massachusetts Institute of Technology |
| A prospective multi-system evaluation of infants at risk for autism | \$0 | Q1.L.B | Massachusetts General Hospital |
| A prospective multi-system evaluation of infants at risk for autism | \$0 | Q1.L.B | Massachusetts General Hospital |
| Underlying mechanisms in a cerebellum-dependent model of autism | \$0 | Q2.S.D | Harvard Medical School |
| A cerebellar mutant for investigating mechanisms of autism in Tuberous Sclerosis | \$0 | Q2.S.D | Boston Children's Hospital |
| Neural correlates of restricted, repetitive behaviors in autism spectrum disorders | \$0 | Q2.S.G | Massachusetts General Hospital |
| Neural correlates of restricted, repetitive behaviors in autism spectrum disorders | \$0 | Q2.S.G | Massachusetts General Hospital |
| The Brain Genomics Superstruct Project | \$0 | Q2.L.B | Harvard University |
| Collaborative research: RUI: Perceptual pick-up processes in interpersonal coordination | \$0 | Q2.Other | College of the Holy Cross |
| Dimensions of mind perception | \$0 | Q2.Other | Harvard University |
| Architecture of myelinated axons linking frontal cortical areas | \$0 | Q2.Other | Boston University |
| Imaging synaptic neurexin-neuroligin complexes by proximity biotinylation: Applications to the molecular pathogenesis of autism | \$0 | Q2.Other | Massachusetts Institute of Technology |
| Analysis of the small intestinal microbiome of children with autism | \$0 | Q3.S.I | Massachusetts General Hospital |
| The role of the neurexin 1 gene in susceptibility to autism | \$0 | Q3.L.B | Massachusetts General Hospital/Harvard Medical School |
| Recessive genes for autism and mental retardation | \$0 | Q3.L.B | Beth Israel Deaconess Medical Center |
| A genome-wide search for autism genes in the SSC CHB | \$0 | Q3.L.B | Boston Children's Hospital |
| Maternal risk factors for autism spectrum disorders in children of the Nurses' Health Study II | \$0 | Q3.L.C | Massachusetts General Hospital |
| Maternal risk factors for autism spectrum disorders in children of the Nurses' Health Study II | \$0 | Q3.L.C | Harvard University |
| Maternal risk factors for autism spectrum disorders in children of the Nurses' Health Study II | \$0 | Q3.L.C | Harvard University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|----------|--------------------------|---------------------------------------|
| Development of a high-content neuronal assay to screen therapeutics for the treatment of cognitive dysfunction in autism spectrum disorders | \$0 | Q4.S.B | Massachusetts Institute of Technology |
| Mice lacking Shank postsynaptic scaffolds as an animal model of autism | \$0 | Q4.S.B | Massachusetts Institute of Technology |
| Neural and cognitive mechanisms of autism | \$0 | Q4.S.B | Massachusetts Institute of Technology |
| HCC: Collaborative research: Social-emotional technologies for autism spectrum disorders | \$0 | Q4.S.F | Massachusetts Institute of Technology |
| The Autism Curriculum Encyclopedia® (ACE®) | \$0 | Q4.Other | New England Center for Children, Inc. |
| Assessing a participant directed service system for low income children with ASD | \$0 | Q5.S.B | Brandeis University |
| Supporting the well-being of families of young children with autism spectrum disorders | \$0 | Q5.Other | Boston University School of Medicine |
| Simons Variation in Individual Project (Simons VIP) Core Leader Gift | \$8,244 | Q2.S.G | Boston Children's Hospital |
| Investigation of IL-9, IL-33 and TSLP in serum of autistic children | \$8,650 | Q2.S.A | Tufts University School of Medicine |
| Using a direct observation assessment battery to assess outcome of early intensive behavioral intervention for children with autism | \$10,000 | Q1.L.B | New England Center for Children, Inc. |
| Next generation approaches to non-human primate bioinformatics | \$13,753 | Q3.Other | Harvard Medical School |
| Neuropeptide regulation of juvenile social behaviors | \$14,755 | Q2.Other | Boston College |
| Behavioral and neural responses to emotional faces in individuals with ASD | \$14,935 | Q2.Other | Harvard University |
| Using near-infrared spectroscopy to measure the neural correlates of social and emotional development in infants at risk for autism spectrum disorder | \$15,000 | Q1.L.A | Harvard University |
| The role of intestinal microbiome in children with autism | \$25,000 | Q3.S.I | Harvard Medical School |
| CAREER: Typical and atypical development of brain regions for theory of mind | \$27,670 | Q2.Other | Massachusetts Institute of Technology |
| Dissemination of multi-stage screening to underserved culturally-diverse families | \$28,000 | Q1.S.C | University of Massachusetts Boston |
| Neurophysiological investigation of language acquisition in infants at risk for ASD | \$28,000 | Q1.L.A | Boston University |
| Simons Variation in Individuals Project (VIP) Imaging Analysis Site | \$28,560 | Q2.S.G | Harvard University |
| Proteome and interaction networks in autism | \$31,250 | Q2.Other | Harvard Medical School |
| Deficits in tonic inhibition and the pathology of autism spectrum disorders | \$31,250 | Q4.S.B | Tufts University |
| Molecular controls over callosal projection neuron subtype specification and diversity | \$41,800 | Q2.Other | Harvard University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-----------|--------------------------|--|
| The effects of autism on the sign language development of deaf children | \$47,210 | Q2.Other | Boston University |
| Population genetics to improve homozygosity mapping and mapping in admixed groups | \$48,398 | Q3.L.B | Harvard Medical School |
| Corticothalamic circuit interactions in autism | \$50,000 | Q2.Other | Boston Children's Hospital |
| Characterization of autism susceptibility genes on chromosome 15q11-13 | \$51,326 | Q4.S.B | Beth Israel Deaconess Medical Center |
| Multimodal studies of executive function deficits in autism spectrum disorders | \$51,942 | Q2.Other | Massachusetts General Hospital |
| Rapid characterization of balanced genomic rearrangements contributing to autism | \$53,459 | Q3.L.B | Massachusetts General Hospital |
| Identification of targets for the neuronal E3 ubiquitin ligase PAM | \$60,000 | Q2.S.D | Massachusetts General Hospital |
| Comparing AMMT vs. Control Therapy in facilitating speech output in nonverbal children with autism | \$60,000 | Q4.S.G | Beth Israel Deaconess Medical Center |
| The role of UBE3A in autism | \$62,500 | Q2.S.D | Harvard Medical School |
| Perinatal choline supplementation as a treatment for autism | \$62,500 | Q4.S.B | Boston University |
| Randomized phase 2 trial of RAD001 (an MTOR inhibitor) in patients with tuberous sclerosis complex | \$65,000 | Q4.L.A | Boston Children's Hospital |
| Quantitative analysis of craniofacial dysmorphology in autism | \$69,173 | Q1.S.A | University of Massachusetts Medical School |
| The brain genomics superstruct project | \$75,000 | Q2.S.G | President & Fellows of Harvard College |
| Using Drosophila to model the synaptic function of the autism-linked NHE9 | \$75,000 | Q4.S.B | Massachusetts Institute of Technology |
| Controlling interareal gamma coherence by optogenetics, pharmacology and behavior | \$83,521 | Q2.Other | Massachusetts Institute of Technology |
| Learning and compression in human working memory | \$84,000 | Q2.Other | Harvard University |
| The effects of disturbed sleep on sleep-dependent memory consolidation and daily function in individuals with ASD | \$89,545 | Q2.S.E | Beth Israel Deaconess Medical Center |
| Transition age young adults with autism: The role of self-determination, social skills, job search, transportation, and rehabilitation services in employment outcomes | \$100,000 | Q6.S.A | University of Massachusetts Boston |
| Prosodic and pragmatic processes in highly verbal children with autism | \$112,500 | Q1.L.C | President & Fellows of Harvard College |
| Neural mechanisms for social cognition in autism spectrum disorders | \$112,523 | Q2.Other | Massachusetts Institute of Technology |
| Simons Simplex Collection Site | \$124,993 | Q3.L.B | Boston Children's Hospital |
| Novel methods for testing language comprehension in children with ASD | \$127,500 | Q1.S.B | Boston University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-----------|--------------------------|---|
| MEG investigation of the neural substrates underlying visual perception in autism | \$128,798 | Q2.Other | Massachusetts General Hospital |
| MicroRNAs in synaptic plasticity and behaviors relevant to autism | \$131,220 | Q2.S.D | Massachusetts General Hospital |
| International Mental Health/Developmental Disabilities Research Training Program | \$138,232 | Q7.K | Boston Children's Hospital |
| Autism Treatment Network (ATN) 2011-MGH/LADDERS | \$140,000 | Q7.N | Massachusetts General Hospital |
| Mental Health/Disabilities (MHDD) Research Education Program | \$148,926 | Q7.K | Boston Children's Hospital |
| Perturbed activity-dependent plasticity mechanisms in autism | \$158,034 | Q2.Other | Harvard Medical School |
| Communicative and emotional facial expression production in children with autism | \$171,215 | Q2.Other | University of Massachusetts Medical School |
| Contingency manipulation in discrete trial interventions for children with autism | \$171,215 | Q4.Other | University of Massachusetts Medical School |
| Guiding visual attention to enhance discrimination learning | \$172,842 | Q4.Other | University of Massachusetts Medical School |
| Activity-dependent phosphorylation of MeCP2 | \$174,748 | Q2.S.D | Harvard Medical School |
| Genetically defined stem cell models of Rett and fragile X syndrome | \$175,000 | Q2.S.D | Whitehead Institute for Biomedical Research |
| Behavioral and sensory evaluation of auditory discrimination in autism | \$178,529 | Q2.Other | University of Massachusetts Medical School |
| Regulation of synaptogenesis by cyclin-dependent kinase 5 | \$180,264 | Q2.Other | Massachusetts Institute of Technology |
| Multimodal analyses of face processing in autism & down syndrome | \$182,882 | Q2.Other | University of Massachusetts Medical School |
| Do animations facilitate symbol understanding in children with autism? | \$197,259 | Q4.S.G | Northeastern University |
| Training school speech-language pathologists to assess and manage communication skills in children with autism | \$199,996 | Q5.Other | University of Massachusetts Amherst |
| Using zebrafish and chemical screening to define function of autism genes | \$199,999 | Q4.S.B | Whitehead Institute for Biomedical Research |
| Genome-wide analyses of DNA methylation in autism | \$200,000 | Q3.S.J | Massachusetts General Hospital |
| A recurrent genetic cause of autism | \$200,000 | Q3.L.B | Massachusetts General Hospital |
| New approaches to local translation: SpaceSTAMP of proteins synthesized in axons | \$246,254 | Q2.S.D | Dana-Farber Cancer Institute |
| Neurobiology of mouse models for human chr 16p11.2 microdeletion and fragile X | \$249,480 | Q4.S.B | Massachusetts Institute of Technology |
| Retrograde synaptic signaling by Neurexin and Neuroligin in C. elegans | \$250,000 | Q2.Other | Massachusetts General Hospital |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|-----------|--------------------------|--|
| Contingency analyses of observing and attending in intellectual disabilities | \$276,291 | Q4.S.G | University of Massachusetts Medical School |
| Transition to adult services for youth with autism spectrum disorder | \$294,647 | Q6.L.A | Massachusetts General Hospital |
| Use of a family navigator in families with children newly diagnosed with autism spectrum disorder | \$298,072 | Q5.S.A | Boston University School of Medicine |
| Studying the impact of service-learning on career development, self-determination, and social skill building for youth with autism spectrum disorders | \$300,000 | Q6.S.A | University of Massachusetts Boston |
| Autism Consortium | \$300,000 | Q7.N | Autism Consortium |
| Control of synaptic protein synthesis in the pathogenesis and therapy of autism | \$301,087 | Q4.S.B | Massachusetts General Hospital |
| Cell specific genomic imprinting during cortical development and in mouse models | \$312,559 | Q3.S.J | Harvard University |
| Elucidating the function of class 4 semaphorins in GABAergic synapse formation | \$337,818 | Q2.Other | Brandeis University |
| Neurobehavioral research on infants at risk for SLI and autism (supplement) | \$345,307 | Q1.L.A | Boston University |
| Dissecting the circuitry basis of autistic-like behaviors in mice | \$350,000 | Q4.S.B | Massachusetts Institute of Technology |
| The microRNA pathway in translational regulation of neuronal development | \$352,647 | Q2.S.D | University of Massachusetts Medical School |
| Optimizing initial communication for children with autism | \$356,014 | Q4.S.G | University of Massachusetts Medical School |
| Delayed motor learning in autism | \$356,598 | Q4.Other | Brandeis University |
| Finding recessive genes for autism spectrum disorders | \$361,824 | Q3.L.B | Boston Children's Hospital |
| Functional money skills readiness training: teaching relative values | \$374,926 | Q5.Other | Praxis, Inc. |
| Electrophysiological, metabolic and behavioral markers of infants at risk | \$395,734 | Q1.L.A | Boston Children's Hospital |
| Neuronal activity-dependent regulation of MeCP2 | \$426,857 | Q2.S.D | Harvard Medical School |
| Autism Treatment Network (ATN) 2011 - MGH Clinical Coordinating Center | \$445,000 | Q7.N | Massachusetts General Hospital |
| RNA expression studies in autism spectrum disorders | \$500,000 | Q1.L.A | Boston Children's Hospital |
| Simons Variation in Individuals Project (VIP) Site | \$509,875 | Q2.S.G | Boston Children's Hospital |
| Characterizing the genetic systems of autism through multi-disease analysis | \$560,935 | Q2.S.G | Harvard Medical School |
| Finding autism genes by genomic copy number analysis | \$577,035 | Q3.S.A | Boston Children's Hospital |
| Brain bases of language deficits in SLI and ASD | \$651,988 | Q2.Other | Massachusetts Institute of Technology |
| Neurobehavioral research on infants at risk for SLI and autism | \$671,693 | Q1.L.A | Boston University |

| Project Title | Funding | Strategic Plan Objective | Institution |
|--|-------------|--------------------------|---------------------------------------|
| RNA expression patterns in autism | \$705,545 | Q3.L.B | Boston Children's Hospital |
| Understanding the cognitive impact of early life epilepsy | \$836,550 | Q2.S.E | Boston Children's Hospital |
| A randomized, controlled trial of intranasal oxytocin as an adjunct to behavioral therapy for autism spectrum disorder | \$1,159,063 | Q4.S.C | Massachusetts General Hospital |
| Infrastructure support for autism research at MIT | \$1,500,000 | Q7.K | Massachusetts Institute of Technology |
| Autism Intervention Research Network on Physical Health (AIR-P network) | \$1,797,880 | Q4.S.A | Massachusetts General Hospital |
| Neonatal biomarkers in extremely preterm babies predict childhood brain disorders | \$3,465,570 | Q3.S.H | Boston Medical Center |

